

THE OLD CHURCH TECHNICAL SPECIFICATION || 2021

SOUND

Mackie PROFX16V2 Compact 16 Channel Mixer Sub TA18 active


- 2 x Yamaha speakers & stands
- 2 x Behringer monitors
- 2 x Shure SM58-LCE Cardioid Mic
- 2 x Shure SM57-LCE Cardiod Mic
- 4 x mic stands
- 2 x Radial ProDI Passive DI box
- 1 x VDC 12W4R20M 12 Way Sub Box 4 Returns 20m
- 2 x VDC XLR spkr 10 metre XLR male-female cable
- $8 \times VDC$ 10MFXLR 10 Meter Mic male XLR female XLR 17.20 5.00 23/10 130.72
- 2 x VDC 2W10M 2 Way 13amp 10m mains cable 29.57 5.00 23/10 56.18

LIGHTING

1 x Chauvet 4-bar LT USB kit

We can also provide tea light holders and fairy lights upon request.

FLOOR PLANS



Notes	Revisions	Faculty	St Mary's Old Church Stoke Newington, London N16	Drawing title. Proposed Ground Floor & Basement Pla	lan
do der darieb bent bie dendeg dome der der der der der der der der der de			Susse Suss	SMS Coag tac. P/100	(02011

